UPRIGHT & DRAWER REFRIGERATORS

Dometic

FOR RV AND MARINE APPLICATIONS

INSPIRED BY COMFORT

NEW RELEASE
RMD 8555

FEATURES OF DOMETIC 3 WAY REFRIGERATORS

Contents, specifications and availability are subject to change due to the technical improvement.

ABSORPTION REFRIGERATION FOR 12 VOLTS, 240 VOLTS AND GAS

- Famous 3 way SILENT operation LP Gas, 12 volt and 240 volts
- Performance enhanced cooling units - designed and manufactured for harsh Australian conditions
- AES models (RM2355, RM2455, RM2555, RM4605, RM4805) allows the user to simply turn the refrigerator on. This unique Dometic feature will select the best available energy source; 240 volt being its first option then sourcing 12 volt (senses when your engine is running) and gas thereafter
- Doors can be hinged from right to left hand opening (except RGE 410). RM 8501, RMD 8551 and RML 8551 are available in left or right hand opening options
- Friendly to the environment - CFC free
- Door panels are replaceable to suit any décor (all models except RGE410 and RMD8555)
- Optional, additional 3 year extended warranty on cooling units
- Automatic flame failure safety device shuts off if gas flame is extinguished
- Flame indicator for gas operation (manual models only)
- Lockable door for travelling
- Magnetic door seal
- 2 year warranty and Australia wide service network

CHOOSE FROM 3 OPTIONS:

1 - Manual control

MES **2** - MES – Manual Energy Selection with Automatic Gas Ignition

AES **3** - AES – Automatic Energy Selection (fully automatic)

DOMETIC RM SERIES WITH MANUAL CONTROL

Combination fridge freezer - silent operation LP Gas, 12 volt & 240 volts

Refrigerator & freezer | 12/240 volts | Gas | 2

DOMETIC RM 2350 - MANUAL CONTROL MODEL

Absorption refrigerator for 12 volts, 240 volts and gas - Single curved door model, 550 mm wide.

Gross capacity	with freezer compartment without freezer compartment freezer compartment	approx. 90 litres approx. 79 litres approx. 11 litres
Input rating	240 volts 12 volts Gas	175 watts 175 watts 13.5 g/h
Dimensions [overall]	**W**550 x **H**766 x **D**565 mm	
Cut out required	**W**521 x **H**756 x **D**520 mm	
Weight	29 kg	

Quality features

- Gas operation with manual ignition thermostatic control for 240 volts and gas
- Wide metal mounting flanges for built in application - no exterior skin
- Top mounted controls

Product	Ref. No
Dometic RM 2350	RM 2350

DOMETIC RM SERIES WITH MANUAL CONTROL

Combination fridge freezer - silent operation LP Gas, 12 volt & 240 volts

DOMETIC RM 2453 - MANUAL CONTROL MODEL

Absorption refrigerator for 12 volts, 240 volts and gas - Single door model, 632 mm wide.

Gross capacity	with freezer compartment without freezer compartment freezer compartment	approx. 120 litres approx. 105 litres approx. 15 litres
Input rating	240 volts 12 volts Gas	195 watts 195 watts 18 g/h
Dimensions [overall]	**W**632 x **H**948 x **D**627 mm	
Cut out required	**W**607 x **H**928 x **D**610 mm	
Weight	41 kg	

Quality features

- Gas operation with manual ignition thermostatic control for 240 volts and gas
- Wide metal mounting flanges for built in application - no exterior skin
- Adjustable, removable door racks
- Positive lock door handles
- Top mounted controls

Product	**Ref. No**
Dometic RM 2453	RM 2453

DOMETIC RM 2553 - MANUAL CONTROL MODEL

Absorption refrigerator for 12 volts, 240 volts and gas - Single door model, 632 mm wide.

Gross capacity	with freezer compartment without freezer compartment freezer compartment	approx. 148 litres approx. 133 litres approx. 15 litres
Input rating	240 volts 12 volts Gas	195 watts 195 watts 18 g/h
Dimensions [overall]	**W**632 x **H**1104 x **D**627mm	
Cut out required	**W**607 x **H**1083 x **D**610 mm	
Weight	46 kg	

Quality features

- Gas operation with manual ignition thermostatic control for 240 volts and gas
- Wide metal mounting flanges for built in application - no exterior skin
- Adjustable, removable door racks
- Positive lock door handles
- Top mounted controls

Product	**Ref. No**
Dometic RM 2553	RM 2553

Contents, specifications and availability are subject to change due to the technical improvement.

Refrigerator & freezer | 12/240 volts | Gas

DOMETIC RM 4601 - MANUAL CONTROL MODEL

Absorption refrigerator for 12 volts, 240 volts and gas - Two door model, 632 mm wide.

Gross capacity	with freezer compartment without freezer compartment freezer compartment	approx. 185 litres approx. 137 litres approx. 48 litres
Input rating	240 volts 12 volts Gas	325 watts 275 watts 20 g/h
Dimensions [overall]	**W**632 x **H**1427 x **D**668 mm	
Cut out required	**W**607 x **H**1415 x **D**620 mm	
Weight	61.5 kg	

Quality features

- Gas operation with manual ignition thermostatic control for 240 volts and gas
- Wide metal mounting flanges for built in application - no exterior skin
- Adjustable, removable door racks
- Positive lock door handles
- Bottom mounted controls

Product	Ref. No
Dometic RM 4601	RM 4601

DOMETIC RGE SERIES WITH MANUAL CONTROL

Silent operation - 240 volts & LP Gas

Refrigerator & freezer | Gas

DOMETIC RGE 410 - MANUAL CONTROL MODEL

Absorption refrigerator for 240 volts and gas - Two door model, 592 mm wide - Free-standing unit with white steel cabinet.

Gross capacity	with freezer compartment without freezer compartment freezer compartment	approx. 220 litres approx. 175 litres approx. 45 litres
Input rating	240 volts Gas	325 watts 21 g/h
Dimensions [overall]	**W**592 x **H**1612 x **D**623 mm	
Weight	73 kg	

Quality features

- Gas operation with manual ignition thermostatic control for 240 volts and gas
- Internal light

Product	Ref. No
Dometic RGE 410	RGE 410

DOMETIC RM SERIES WITH MANUAL CONTROL WITH BUILT IN BATTERY IGNITION

Silent operation LP Gas, 12 volt & 240 volts

Refrigerator & freezer | 12/240 volts | Gas

DOMETIC RM 5310 - MANUAL CONTROL MODEL WITH BUILT-IN BATTERY IGNITION

Refrigerator for 12 volts, 240 volts and gas - Single door model, 486 mm wide.

Gross capacity	with freezer compartment freezer compartment	approx. 60 litres approx. 5litres
Input rating	240 volts 12 volts Gas	125 watts 120 watts 18.3 g/h
Dimensions [overall]	**W**486 x **H**618 x **D**474 mm	
Cut out required	**W**490 x **H**620 x **D**450 mm	
Weight	20.7 kg [+/- 3%]	

Quality features

- → Manual control model with built-in battery ignition
- → Separate freezer compartment
- → Door locking with vent option
- → User friendly control panel
- → Practical door trays
- → Interior LED light

Product	Ref. No
Dometic RM 5310	RM 5310

DOMETIC RM SERIES WITH MANUAL ENERGY SELECTION

DOMETIC RM 8501 - ELECTRONIC MANUAL ENERGY SELECTION

Featuring Manual Energy Selection — MES

Refrigerator for 12 volts, 240 volts and gas - Single door model, 523 mm wide.

Gross capacity	with freezer compartment without freezer compartment freezer compartment	approx. 106 litres approx. 100 litres approx. 9 litres
Input rating	240 volts 12 volts Gas	135 watts 125 watts 18.3 g/h
Dimensions [overall]	**W**523 x **H**831 x **D**529 mm	
Cut out required	**W**527 x **H**825 x **D**542 mm	
Weight	27.8 kg	

Quality features

- → Fingertip door opening
- → Patented removable freezer compartment
- → User friendly control panel
- → Flexible arrangement of shelves
- → Internal light
- → Door with magnetic seal, replaceable door seals
- → Door locking with vent option
- → Ergonomic door shelves with leakage protection
- → Available in left and right hand opening option

Product	Ref. No
Dometic RM 8501	RM8501LH
Dometic RM 8501	RM8501RH

Contents, specifications and availability are subject to change due to the technical improvement.

DOMETIC RMD SERIES WITH MANUAL ENERGY SELECTION

Combination fridge freezer - silent operation LP Gas, 12 volt & 240 volts

Refrigerator & freezer | 12/240 volts | Gas

DOMETIC RMD 8551 - ELECTRONIC MANUAL ENERGY SELECTION

Refrigerator for 12 volts, 240 volts and gas - Two door model, 523 mm wide.

Featuring Manual Energy Selection

Gross capacity	with freezer compartment	approx. 190 litres
	freezer compartment	approx. 35 litres
Input rating	240 volts	190 watts
	12 volts	170 watts
	Gas	12.5 g/h
Dimensions [overall]	**W**523 x **H**1245 x **D**622 mm	
Cut out required	**W**527 x **H**1249 x **D**572 mm	
Weight	38.5 kg	

Quality features

- Separate doors for fridge & freezer compartments
- User friendly control panel featuring LED display
- Ergonomic door shelves with leakage protection
- Fingertip door opening
- Interior LED light
- Available in left and right hand opening option

Product	Ref. No
Dometic RMD 8551	RMD8551LH
Dometic RMD 8551	RMD8551RH

DOMETIC RML SERIES WITH ELECTRONIC MANUAL ENERGY SELECTION

DOMETIC RML 8551 - ELECTRONIC MANUAL ENERGY SELECTION

Refrigerator for 12 volts, 240 volts and gas- Single door model, 523 mm wide.

Featuring Manual Energy Selection

Gross capacity	with freezer compartment	approx. 179 litres
	without freezer compartment	approx. 190 litres
	freezer compartment	approx. 33 litres
Input rating	240 volts	190 watts
	12 volts	170 watts
	Gas	12.5 g/h
Dimensions [overall]	**W**523 x **H**1245 x **D**623 mm	
Cut out required	**W**529 x **H**1249 x **D**599 mm	
Weight	44.5 kg	

Quality features

- Fingertip door opening
- Patented removable freezer compartment
- User friendly control panel
- Flexible arrangement of shelves
- Internal light
- Door with magnetic seal & replaceable door seals
- Door locking with vent option
- Ergonomic door shelves with leakage protection
- Available in left and right hand opening option

Product	Ref. No
Dometic RML 8551	RML8551LH
Dometic RML 8551	RML8551RH

RM SERIES WITH AUTOMATIC ENERGY SELECTION

AES series Combination fridge freezer - LP Gas, 12 volt & 240 volts

DOMETIC RM 2355 - AUTOMATIC ENERGY SELECTION

AES series absorption refrigerator for 12 volts, 240 volts and gas - Single curved door model, 550 mm wide.

Featuring Automatic Energy Selection AES

Gross capacity	with freezer compartment without freezer compartment freezer compartment	approx. 90 litres approx. 79 litres approx. 11 litres
Input rating	240 volts 12 volts Gas	175 watts 170 watts 13.5 g/h
Dimensions [overall]	**W**550 x **H**766 x **D**565 mm	
Cut out required	**W**521 x **H**756 x **D**520 mm	
Weight	28 kg	

Quality features

- Gas operation with battery-powered ignition, thermostatic control for 240 volt, 12 volt and gas
- Wide metal mounting flanges for built in application - no exterior skin

Product	Ref. No
Dometic RM 2355	RM 2355

DOMETIC RM 2455 - AUTOMATIC ENERGY SELECTION

AES series absorption refrigerator for 12 volts, 240 volts and gas - Single flat door model, 632 mm wide.

Featuring Automatic Energy Selection AES

Gross capacity	with freezer compartment without freezer compartment freezer compartment	approx. 120 litres approx. 105 litres approx. 15 litres
Input rating	240 volts 12 volts Gas	195 watts 195 watts 18 g/h
Dimensions [overall]	**W**632 x **H**948 x **D**627 mm	
Cut out required	**W**607 x **H**928 x **D**610 mm	
Weight	39 kg	

Quality features

- Gas operation with battery powered ignition, thermostatic control for 240 volts, 12 volt and gas
- Wide metal mounting flanges for built in application - no exterior skin
- Adjustable, removable door racks
- Positive lock door handles
- Top mounted controls

Product	Ref. No
Dometic RM 2455	RM 2455

Contents, specifications and availability are subject to change due to the technical improvement.

Refrigerator & freezer | 12/240 volts | Gas

DOMETIC RM 2555 - AUTOMATIC ENERGY SELECTION

AES series absorption refrigerator for 12 volts, 240 volts and gas - Single door model flat door, 632 mm wide.

Featuring Automatic Energy Selection AES

Gross capacity	with freezer compartment without freezer compartment freezer compartment	approx. 148 litres approx. 133 litres approx. 15 litres
Input rating	240 volts 12 volts Gas	195 watts 195 watts 18 g/h
Dimensions [overall]	**W**632 x **H**1104 x **D**627 mm	
Cut out required	**W**607 x **H**1083 x **D**610 mm	
Weight	44.5 kg	

Quality features

- → Gas operation with battery-powered ignition, thermostatic control for 240 volts, 12 volts and gas
- → Wide metal mounting flanges for built in application - no exterior skin
- → Adjustable, removable door racks
- → Positive lock door handles
- → Top mounted controls
- → Interior light

Product	Ref. No
Dometic RM 2555	RM 2555

DOMETIC RM 4605 - AUTOMATIC ENERGY SELECTION

AES series absorption refrigerator for 12 volts, 240 volts and gas - Two door model flat doors, 632 mm wide.

Featuring Manual Energy Selection AES

Gross capacity	with freezer compartment without freezer compartment freezer compartment	approx. 185 litres approx. 137 litres approx. 48 litres
Input rating	240 volts 12 volts Gas	325 watts 275 watts 20 g/h
Dimensions [overall]	**W**632 x **H**1385 x **D**661 mm	
Cut out required	**W**607 x **H**1365 x **D**620 mm	
Weight	56.5 kg	

Quality features

- → Gas operation with battery-powered ignition, thermostatic control for 240 volts, 12 volts and gas
- → Wide metal mounting flanges for built in application - no exterior skin
- → Top mounted controls
- → Interior light

Product	Ref. No
Dometic RM 4605	RM 4605

DOMETIC RMD SERIES WITH AUTOMATIC ENERGY SELECTION

AES series absorption refrigerator
- LP Gas, 12 volt & 240 volts

Refrigerator & freezer | 12/240 volts | Gas

DOMETIC RMD 8555 - AUTOMATIC ENERGY SELECTION

AES series absorption refrigerator for 12 volts, 240 volts and gas - Two door model, 523 mm wide.

Featuring Automatic Energy Selection

Gross capacity	with freezer compartment without freezer compartment freezer compartment	approx. 190 litres approx. 55 litres approx. 35 litres
Input rating	240 volts 12 volts Gas	250 watts 170 watts 32.2 g/h
Dimensions [overall]	**W**523 x **H**1245 x **D**622 mm	
Cut out required	**W**527 x **H**1249 x **D**572 mm	
Weight	41.5 kg	

Quality features

- Available in left and right hand opening option at time of ordering
- Separate doors for fridge and freezer compartments
- User friendly control panel featuring LED indicator lights
- Flexible arrangement of shelves featuring anti-slip, easy clean surface
- Ergonomic door shelves with leakage protection
- Fingertip door opening
- Interior LED light
- Doors with magnetic seal, replaceable door seals

Product	Ref. No
Dometic RMD 8555	RMD 8555

DOMETIC RM SERIES WITH AUTOMATIC ENERGY SELECTION

AES series absorption refrigerator
- LP Gas, 12 volt & 240 volts

Refrigerator & freezer | 12/240 volts | Gas

DOMETIC RM 4805 - AUTOMATIC ENERGY SELECTION

AES series absorption refrigerator for 12 volts, 240 volts and gas - Two door model flat doors, 632 mm wide

Featuring Automatic Energy Selection

Gross capacity	with freezer compartment without freezer compartment freezer compartment	approx. 224 litres approx. 177 litres approx. 47 litres
Input rating	240 volts 12 volts Gas	325 watts 275 watts 20 g/h
Dimensions [overall]	**W**632 x **H**154 x **D**661 mm	
Cut out required	**W**607 x **H**1522 x **D**620 mm	
Weight	58 kg	

Quality features

- Gas operation with battery-powered ignition, thermostatic control for 240 volts, 12 volts and gas
- Wide metal mounting flanges for built in application - no exterior skin
- Top mounted controls
- Interior light

Product	Ref. No
Dometic RM 4805	RM 4805

Contents, specifications and availability are subject to change due to the technical improvement.

COMPRESSOR REFRIGERATORS

UNBEATABLE PERFORMANCE

Equipped with high-tech Secop compressors, the well-proven refrigerators of the WAECO CoolMatic series provide outstanding energy efficient refrigeration for mobile applications. Their operation is perfectly reliable even in tilted positions and high ambient temperatures. They work economically, extremely quietly and are ideal to run with solar panels.

The various models of the CoolMatic series satisfy all requirements a mobile fridge has to meet. There's a matching appliance for every size of vehicle and for every room situation. The interior features compare extremely well with your domestic fridge too...

European model shown

WITH BUILT IN 240 VOLTS AC

WAECO COOLMATIC CR SERIES COMPRESSOR REFRIGERATORS

Premium built-in refrigerator in stainless steel appearance for motorhomes, caravans, yachts and boats.

Temperature range +5 °C (fridge) to -18 °C (freezer)

Suitable for solar operation

Tropical-rated (equivalent to DIN EN ISO 7371)

Quality features

- Interior light
- Door with magnetic seal
- Variable door mounts and hinges right (standard) / left
- Door with double lock (top / bottom) and dual function (locking / ventilation)
- Separately insulated
- Energy efficient freezer compartment
- Foamed rear-wall evaporator in the interior
- Easy-to-change decor panel
- Automatic defrosting
- Low voltage protection
- Condensation drainage via hose connection or collection tank
- 4 installation points for fastening from inside
- Standard or flush-mount installation frame available as accessory
- Secop (formerly Danfoss) compressor

WAECO CoolMatic CR-50

Gross capacity	approx. 48 litres including 5 litre freezer compartment
Voltage	12 / 24 volts DC and 100-240 volts AC
Average power consumption	approx. 40 watts
Power consumption	1.4 Ah / h at +25 °C ambient temperature 1.7 Ah / h at +32 °C ambient temperature both at +5 °C interior temperature and –18 °C in the freezer compartment
Insulation	CFC-free polyurethane foam
System	Fully hermetic Secop compressor with integrated control electronics, low-voltage protection, electronic fuse / automatic reverse pole protection, dynamically ventilated wire tube condenser, mechanical, cont. variable thermostat
Material	Stainless steel fittings, plastic interior, plastic door frame, vinyl coated steel door panel, body with coated metal frame
Colour	Body: black, door frame: silver, door panel: matt-silver (brushed stainless steel appearance)
Bulit in dimensions	**W**380 x **H**534 x **D**447 (without door) mm
Weight	19 kg

Product	Ref. No
CoolMatic CR-50	CR-1050
Standard installation frame for CR-1050	CR-050-EST
Flush-mount installation frame for CR-1050	CR-050-EFM

WAECO COOLMATIC CR SERIES COMPRESSOR REFRIGERATORS

Premium built-in refrigerator in stainless steel appearance for motorhomes, caravans, yachts and boats.

Product	Ref. No
CoolMatic CR-65	CR-1065
Standard installation frame for CR-1065	CR-065-EST
Flush-mount installation frame for CR-1065	CR-065-EFM

WAECO CoolMatic CR-65

Gross capacity	approx. 64 litres including 7.2 litre freezer compartment
Voltage	12/24 volts DC and 100-240 volts AC
Average power consumption	approx. 45 watts
Power consumption	1.6 Ah/h at +25 °C ambient temperature 1.9 Ah/h at +32 °C ambient temperature both at +5 °C interior temperature and –18 °C in the freezer compartment
Insulation	CFC-free polyurethane foam
System	Fully hermetic Secop compressor with integrated control electronics, low-voltage protection, electronic fuse/ automatic reverse pole protection, dynamically ventilated wire tube condenser, mechanical, cont. variable thermostat
Material	Stainless steel fittings, plastic interior, plastic door frame, vinyl coated steel door panel, body with coated metal frame
Colour	Body: black, door frame: silver, door panel: matt-silver (brushed stainless steel appearance)
Bulit in dimensions	**W**448 x **H**525 x **D**492 (without door) mm
Weight	20 kg

Product	Ref. No
CoolMatic CR-80	CR-1080
Standard installation frame for CR-1080	CR-080-EST
Flush-mount installation frame for CR-1080	CR-080-EFM

WAECO CoolMatic CR-80

Gross capacity	approx. 80 litres including 7.9 litre freezer compartment
Voltage	12/24 volts DC and 100-240 volts AC
Average power consumption	approx. 48 watts
Power consumption	1.8 Ah/h at +25 °C ambient temperature 2.1 Ah/h at +32 °C ambient temperature both at +5 °C interior temperature and –18 °C in the freezer compartment
Insulation	CFC-free polyurethane foam
System	Fully hermetic Secop compressor with integrated control electronics, low-voltage protection, electronic fuse/ automatic reverse pole protection, dynamically ventilated wire tube condenser, mechanical, cont. variable thermostat
Material	Stainless steel fittings, plastic interior, plastic door frame, vinyl coated steel door panel, body with coated metal frame
Colour	Body: black, door frame: silver, door panel: matt-silver (brushed stainless steel appearance)
Bulit in dimensions	**W**475 x **H**640 x **D**475 (without door) mm
Weight	23 kg

With a modern stylish exterior and well organised and practical interior the WAECO CoolMatic CR range are the logial choice for you motorhome, caravan, yacht or boat.

Contents, specifications and availability are subject to change due to the technical improvement.

WITH BUILT IN 240 VOLTS AC

Temperature range +5 °C (fridge) to -18 °C (freezer)

Suitable for solar operation

Tropical-rated (equivalent to DIN EN ISO 7371)

WAECO CoolMatic CR-110

Gross capacity	approx. 108 litres including 10.2 litre freezer compartment
Voltage	12/24 volts DC and 100-240 volts AC
Average power consumption	approx. 50 watts
Power consumption	2.2 Ah/h at +25 °C ambient temperature 2.5 Ah/h at +32 °C ambient temperature both at +5 °C interior temperature and –18 °C in the freezer compartment
Insulation	CFC-free polyurethane foam
System	Fully hermetic Secop compressor with integrated control electronics, low-voltage protection, electronic fuse/ automatic reverse pole protection, dynamically ventilated wire tube condenser, mechanical, cont. variable thermostat
Material	Stainless steel fittings, plastic interior, plastic door frame, vinyl coated steel door panel, body with coated metal frame
Colour	Body: black, door frame: silver, door panel: matt-silver (brushed stainless steel appearance)
Bulit in dimensions	**W**520 x **H**745 x **D**505 (without door) mm
Weight	28 kg

Product	**Ref. No**
CoolMatic CR-110	CR-1110
Standard installation frame for CR-1110	CR-110-EST
Flush-mount installation frame for CR-1110	CR-110-EFM

WAECO CoolMatic CR-140

Gross capacity	approx. 136 litres including 11.5 litre freezer compartment
Voltage	12/24 volts DC and 100-240 volts AC
Average power consumption	approx. 65 watts
Power consumption	2.3 Ah/h at +25 °C ambient temperature 2.6 Ah/h at +32 °C ambient temperature both at +5 °C interior temperature and –18 °C in the freezer compartment
Insulation	CFC-free polyurethane foam
System	Fully hermetic Secop compressor with integrated control electronics, low-voltage protection, electronic fuse/ automatic reverse pole protection, dynamically ventilated wire tube condenser, mechanical, cont. variable thermostat
Material	Stainless steel fittings, plastic interior, plastic door frame, vinyl coated steel door panel, body with coated metal frame
Colour	Body: black, door frame: silver, door panel: matt-silver (brushed stainless steel appearance)
Bulit in dimensions	**W**525 x **H**805 x **D**566 (without door) mm
Weight	32 kg

Product	**Ref. No**
CoolMatic CR-140	CR-1140
Standard installation frame for CR-1050	CR-140-EST
Flush-mount installation frame for CR-1050	CR-140-EFM

WAECO COOLMATIC RPD SERIES COMPRESSOR REFRIGERATORS

Large 2 door refrigerators for motorhomes, caravans and boats - 12 volt & 240 volts

Secop (formerly Danfoss) compressor

Refrigerator & freezer

12/24 volts

Suitable for solar operation

WAECO CoolMatic RPD-175 DC

Large 2-door refrigerator for motorhomes, caravans and boats.

Gross capacity	approx. 175 litres including a 43 litre freezer compartment
Voltage	12/24 volts DC
Insulation	CFC-free polyurethane foam
Material	Body and doors in sheet steel, interior liner high impact polystyrene
Colour	Black / Silver
Dimensions [overall]	**W**626 x **H**1422 x **D**612.5 mm
Cut out required	**W**606 x **H**1402 x **D**612.5 mm
Weight	approx. 47 kg

Quality features

- → Comes standard with flush mount frame
- → 4 safety shelves - 2 height adjustable, storage shelf in freezer
- → Hinge conversion kit supplied
- → 2 separate doors
- → Crisper drawers
- → Door storage bins
- → Interior light

Product	Ref. No
CoolMatic RPD-215 DC	RPD215 DC

WAECO CoolMatic RPD-215 DC

Large 2-door refrigerator for motorhomes, caravans and boats.

Gross capacity	approx. 213.5 litres including a 43 litre freezer compartment
Voltage	12/24 volts DC
Insulation	CFC-free polyurethane foam
Material	Body and doors in sheet steel, interior liner high impact polystyrene
Colour	Black / Silver
Dimensions [overall]	**W**626 x **H**1579 x **D**612.5 mm
Cut out required	**W**606 x **H**1559 x **D**612.5 mm
Weight	approx. 50 kg

Quality features

- → Comes standard with flush mount frame
- → 4 safety shelves - 2 height adjustable, storage shelf in freezer
- → Hinge conversion kit supplied
- → 2 separate doors
- → Crisper drawers
- → Door storage bins
- → Interior light

Product	Ref. No
CoolMatic RPD-215 DC	RPD215 DC

Contents, specifications and availability are subject to change due to the technical improvement.

WAECO COOLMATIC COMPRESSOR DRAWER FRIDGES

Smart space saving solutions
- 12 volt & 240 volts refrigerators

Refrigerator & freezer | 12/240 volts | Suitable for solar operation

WAECO CoolMatic CD-30

Smart inside or outside drawer fridge for any RV, boat or truck.

Gross capacity	approx. 30 litres
Voltage	12/24 volts DC
Average power consumption	approx. 40 watts
Average running time	20% at 20 °C ambient temperature 40% at 32 °C ambient temperature
Materials	Sturdy metal housing with injection moulded parts, metal slide system, metal latches
Dimensions [overall]	**W**440 x **H**250 x **D**560 mm (D730 mm Including compressor)
Weight	approx. 18 kg

Mounting brackets included



A smart solution in confined spaces: the cooling unit can be fitted separately.

Product	Ref. No
CoolMatic CD-30	CD-30

WAECO CoolMatic CRD-50 fridge/freezer

Refrigerator with freezer compartment, ideal for truck, RV and marine applications

Gross capacity	with freezer compartment freezer compartment	approx. 50 litres approx. 4 litres
Voltage	12 volts DC and 100-140 volts AC	
Average power consumption	40 watts	
Material	Body: Core flute outer, plastic interior Interior / Door frame: Plastic	
Fittings	Stainless steel	
Dimensions [overall]	**W**380 x **H**534 x **D**500 mm	
Weight	20 kg	

Quality features

- → Removable freezer
- → Drawer opening
- → Black drawer front (door)

Product	Ref. No
CoolMatic CRD-50	CRD-50U-W40-A

Dometic

Dometic Group is a customer-driven, world-leading provider of leisure products for the RV, automotive, truck and marine markets. We supply the industry and aftermarket with a complete range of air conditioners, refrigerators, awnings, cookers, sanitation systems, lighting, mobile power equipment, comfort and safety solutions, windows, doors and other equipment that make life more comfortable away from home.

Dometic Group supplies a wide range of workshop equipment for service and maintenance of built-in air conditioners. Dometic Group also provides specially designed refrigerators for hotel rooms, offices, wine storage and transport and storage of medical products. Our products are sold in almost 100 countries and are produced mainly in wholly-owned production facilities around the world.

AUSTRALIA

Dometic Australia, Queensland 1
1 John Duncan Court
Varsity Lakes QLD 4227
Phone: +61 (0)7 5507 6000
Fax: +61 (0)7 5507 6001

Dometic Australia, Queensland 2
2/129 South Pine Road
Brendale QLD 4500
Phone: +61 (0)7 3205 7599
Fax: +61 (0)7 3881 1409

Dometic Australia, Victoria
Bldg 3B, Clayton Business Park
1508 Centre Road, Clayton VIC 3168
Phone: +61 (0)3 9239 1000
Fax: +61 (0)3 9239 1099

Dometic Australia, Western Australia
12 Prosperity Avenue
Wangara WA 6065
Phone: +61 (0)8 9303 3555
Fax: +61 (0)8 9303 3577

FREECALL: 1800 21 21 21

E-mail: sales@dometic.com.au
Web: www.dometic.com.au

Your retailer:

E & OE
Please note: Dometic Group may introduce modifications to products, therefore details herein are subject to change without notice. No liability is accepted for errors. Printing processes may not depict colour accurately. 141138

Dometic WAECO by Dometic GROUP